



14 ία 10 А 9 ζ3 $\setminus 1$ <u>13</u> 190 WSAL600-D





Fitting






VERSION G

Notes: Due to manufacturing tolerances, there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa. All specifications are subject to change without notice.Some components may be optional on your spa.

						11		Single Cilinder Skimmer	2	pcs
17	Ð	Perimeter LED	WSAL800	22) pcs	10	\bullet	3 inch Jet Internal-Single Spin	10	pcs
			WSAL700	20		9	Q	1 inch Air Check Valve Assembly	2	pcs
			WSAL600	18		8	Ŷ	2 inch Water Diverter Valve	2	pcs
			WSAL550	16		7	0	5 inch Light Housing Without Holder	1	pcs
			WSAL440	14		6	Ο	Swim Base	1	pcs
16	⊕	2 inch Suction (Full Se	t)	7	pcs	5	ß	Headrest	2	pcs
15	ſ	Handrail		2	pcs	4		2.5 inch Jet Internal-Directional	26	pcs
14		3 inch Turbo Jet		4	pcs	З	۲	4 inch Jet Internal-Single Spin	9	pcs
13	0	Fountain Valve		1	pcs	2		Ozone Injector	2	pcs
12	0	Lifting Fountain		3	pcs	1	Ø	Star-Shape SS Bottom Drain	1	pcs
NOICON DESCRIPTION QTY UNIT						NO	ICON	DESCRIPTION	QTY	UNIT
Edition:5/14/2022 TY.02.0150										

Therapy Assignment



Notes: Due to manufacturing tolerances, there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa. All specifications are subject to change without notice.Some components may be optional on your spa.

Edition:12/7/2023