Business plan 4400 D <u>3</u> 2350 0(00(0 00000 0000 В 4400 100±5mm 290±15mm E-E Heat Pump Ready Unit (Option) pcs 3HP Single Speed Pump 2 pcs Notes: Due to manufacturing tolerances, there CD Ozone Generator pcs could be some minor differences between the 5 ů Control Box pcs actual spa and the drawing above. If site 2HP Single Speed Pump 2 pcs planning is critical to such tolerances, be sure Control Panel pcs 3 to measure your actual spa. All specifications Circulation Pump pcs **Drain Valve** pcs are subject to change without notice. Some

components may be optional on your spa.

NOICON DESCRIPTION


Edition:28/1/2021


QTY UNIT

AT44.07.0001

Fitting

14 pcs





Notes: Due to manufacturing tolerances, there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa. All specifications are subject to change without notice. Some components may be optional on your spa.

					9	•	4'' Jet Internal-Single Spin	2	pcs	
18	0	Large 1" Jet assembly	2	pcs	8	3	4''Jet internal-Twin pulse	4	pcs	
17	0	Lifting fountain	3	pcs	7	0	stainless steel swim base	1	pcs	
16	0	Fountain valve	1	pcs	6		Twin Cilinder Skimmer (carbon grey)	2	pcs	
15	4	2" Water diverter valve	2	pcs	5	Q	1" Air Check Valve Assembly	2	pcs	
14	•	5" Light housing without Holder	1	pcs	4	8	Headrest	2	pcs	
13	0	Ozone Injector – Carbon Grey	2	pcs	3	0	2'' Jet Internal-Directional	24	pcs	
12		3″ Turbo Jet	4	pcs	2	\oplus	2" Suction (full set)	8	pcs	
11		Handrail	2	pcs	1	②	Star-Shape SS Bottom Drain	2	pcs	
N0	ICON	DESCRIPTION	QTY	UNIT	NO	ICON	DESCRIPTION	QTY	UNIT	
Edition:08/10/2020						AT44.01.0001				

10 • Perimeter LED

Therapy Assignment 3HP PUMP2 3HP PUMP3 Fountain valve(PUMP1) HEAT PUMP INLET HEAT PUMP RETURN [/]2HP_PUMP4 3HP PUMP1 HEAT PUMP OUTLET (SUCTION) (RETURN) HEAT PUMP SUCTION Notes: Due to manufacturing tolerances, there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa. All specifications are subject to change without notice. Some components may be optional on your spa. Edition:12/08/2020 AT44.03.0003