



## Fitting







**VERSION G** 

Notes: Due to manufacturing tolerances, there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa. All specifications are subject to change without notice. Some components may be optional on your spa.

						12	<b>©</b>	Lifting Fountain	3	pcs
						11	<del></del>	Single Cilinder Skimmer	2	pcs
18	•	Perimeter LED	WSAL800		10	•	3 inch Jet Internal-Single Spin	10	pcs	
			WSAL700		8 pcs	9	Ø	1 inch Air Check Valve Assembly	2	pcs
			WSAL600	18		8	0	5 inch Light Housing Without Holder	1	pcs
			WSAL550	16		7	0	Swim Base	1	pcs
			WSAL440	14		6	φ	2 inch Water Diverter Valve	1	pcs
17		2 inch Suction (Full Set)		3	pcs	5	8	Headrest	2	pcs
16	<b>@</b>	3 inch Suction		4	pcs	4		2.5 inch Jet Internal-Directional	16	pcs
15		Handrail		2	pcs	З	•	4 inch Jet Internal-Single Spin	9	pcs
14		3 inch Turbo Jet		4	pcs	2		Ozone Injector	2	pcs
13	0	Fountain Valve		1	pcs	1	<b>Ø</b>	Star-Shape SS Bottom Drain	1	pcs
NO	NOICON DESCRIPTION QTY UNIT							DESCRIPTION	QTY	UNIT
Fdition:5/14/2022 TY 02.0150										

## Therapy Assignment





Notes: Due to manufacturing tolerances, there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa. All specifications are subject to change without notice. Some components may be optional on your spa.

Edition:12/7/2023